

USB

USB BOUNDARY  
MICROPHONE



## Owner's Manual

Samson Technologies Corp.  
45 Gilpin Avenue  
Hauppauge, New York 11788-8816  
Phone: 1-800-3-SAMSON (1-800-372-6766)  
Fax: 631-784-2201  
[www.samsontech.com](http://www.samsontech.com)

**SAMSON®**

## Table of Contents

Introduction . . . . .	1
UB1 Features. . . . .	2
Installing the UB1 . . . . .	3 - 6
Operating the UB1 . . . . .	7 - 8
UB1 Specifications . . . . .	9

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES CLASS B. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MUST NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION. SUITABLE FOR HOME OR OFFICE USE.

Copyright 2005 - 2007, Samson Technologies Corp.

Printed September, 2007 v1.0

Samson Technologies Corp.  
45 Gilpin Avenue  
Hauppauge, New York 11788-8816  
Phone: 1-800-3-SAMSON (1-800-372-6766)  
Fax: 631-784-2201  
www.samsontech.com

Congratulations on your purchase of the Samson UB1 USB boundary microphone! The UB1 is a low profile, surface-mount, boundary microphone featuring a fixed charge condenser element along with an onboard, high quality Analog-to-Digital converter and USB output. The UB1 is ideal for mounting on flat surfaces like conference room tables, podiums and altars, as well as hanging on ceilings and walls. The minimally intrusive design allows the microphone to be used in applications where low visibility is desired. The UB1 features a permanently charged condenser element with a half-omnidirectional pickup pattern. Because the UB1 is omni-directional, it provides linear pick-up in a 360-degree pattern, allowing the unit to be placed on the center of a conference table to pick-up everyone seated. Although the UB1 is very small in size, all the electronics are contained within the body, eliminating the need for any external electronics pack. The UB1 is perfect for recording your podcast, conference, meeting, or any acoustic audio source on your favorite recording software. Just plug in the supplied USB cable, launch your software and start recording. The UB1 faithfully reproduces a variety of sound sources including vocals, acoustic instruments and overhead cymbals, to name a few. A heavy Neoprene rubber pad is added to the bottom of the unit to decouple the microphone from the surface, helping to reduce unwanted pick-up noise. The UB1 is built using heavy-duty die cast construction with reinforced steel grill screen. Convenient mounting holes and hardware for hanging on walls or ceilings is included. A low reflectance, matte black finish enhances the stylish minimalist look.

In these pages, you'll find a detailed description of the features of the UB1 USB boundary microphone, as well as step-by-step instructions for its setup and use, and full specifications. You'll also find a warranty card enclosed—please don't forget to fill it out and mail it in so that you can receive online technical support and so we can send you updated information about these and other Samson products in the future. Also, be sure to check out our website ([www.samsontech.com](http://www.samsontech.com)) for complete information about our full product line.

With proper care, your UB1 will operate trouble free for many years. We recommend you record your serial number in the space provided below for future reference.

Serial number: \_\_\_\_\_


Date of purchase: \_\_\_\_\_

Should your unit ever require servicing, a Return Authorization number (RA) must be obtained before shipping your unit to Samson. Without this number, the unit will not be accepted. Please call Samson at 1-800-3SAMSON (1-800-372-6766) for a Return Authorization number prior to shipping your unit. Please retain the original packing materials and if possible, return the unit in the original carton and packing materials. If you purchased your Samson product outside the United States, please contact your local distributor for warranty information and service.

## UB1 Features

### UB1 Features

- Surface mount "Boundary" Condenser with USB Digital Output.
- Compatible with any computer based Digital Audio Workstation.
- The extremely detailed sound reproduction makes it ideal for recording vocals, acoustic instruments and just about any other sound source.
- High Quality AD converter with 16 Bit, 48K sampling rate.
- Works with universal system drivers for MAC and PC.
- Omni directional pick-up pattern.
- Solid Die Cast construction.
- 10 foot USB cable included.



## Installing the UB1

*Installing the UB1 is a simple procedure that takes just a few minutes. Since the UB1 is USB compliant, you can use either a MAC or PC, connect the included USB cable and plug and play. You will be able to control your UB1 using the standard audio interface controls in the MAC or Windows operating system. You will find detailed instructions on setting up with Windows and MAC OS in the following sections of this manual.*

# Installing the UB1

## Getting Started with Windows XP

1. The first time you plug the UB1 into a USB port, Windows will install the universal drivers for that port. A balloon tip will pop up, telling you it has found the USB Audio codec (figure 1).



Figure 1

2. When it is finished installing the drivers, it will say "Your new hardware is installed and ready to use" (figure 2).

Note: This balloon will not pop up again for the same USB port.




Figure 2

3. The volume can be changed by going to Control Panel and opening Sounds and Audio Devices (figure 3).




Figure 3

## Getting Started with Windows XP - continued

4. To use the UB1 as your default input device (for programs like Sound Recorder), ensure that it is set for recording in the Audio tab (figure 4).
6. The internal, computer controlled gain can then be set by pressing the Volume button (figure 5).




Figure 4




Figure 5

# Installing the UB1

## Getting Started with MAC OS X

The following example is for setting up the UB1 in MAC OS X.

1. Plug in microphone. The LED will light to indicate it is receiving USB power. The MAC will recognize the USB audio device and automatically install a universal driver.
2. To select the UB1 as the computers audio input, open the System Preferences from the dock or the main Apple Menu (figure 1).
3. Next open the Sound preference (figure 2).
4. Now, click in the Input tab and select UB1 (figure 3).



Figure 1



Figure 2



Figure 3

# Operating the UB1

## Powering the UB1

The UB1 is a condenser microphone, and like all condenser microphones, it has internal electronics that require an active power supply. Traditional studio condensers are almost always powered by a Phantom Power supply which is usually derived from the mixing console. The UB1 receives its power from the USB bus. Simply connect the microphone to the computers USB port and the microphone is ready to operate. The UB1 features a power on LED, which will illuminate when USB power is present.

## Polar Pattern

Every microphone has a characteristic polar pattern that determines how well it accepts or rejects signal coming from various areas around the microphone. For example, unidirectional, or cardioid, mics are specifically designed to accept mostly signal coming from directly in front, and to reject signal coming from behind or from the side. In contrast, omnidirectional mics accept all signals regardless of where those signals originate (in front of the mic, behind it, to the side, etc.). The pickup pattern utilized by the UB1 is omnidirectional (as shown on page 9). For this reason, the UB1 excels in environments where capturing the sound from all directions around the microphone is desired. The UB1 will pick up the sound in a 360-degree pattern, which makes it ideal for placing in the center of a conference table to record a meeting. The polar pattern also determines how prone a particular mic is to inducing feedback. Feedback is that characteristic nasty howling sound that occurs when a mic is placed too close to a loudspeaker—the signal from the loudspeaker is fed into the mic, then into the loudspeaker, then into the mic, over and over again until an oscillating tone is generated. Because the UB1 is omnidirectional, special attention to the microphone and speaker placement should be considered in live sound applications.

## Microphone Placement

The UB1 was designed primarily for use on a flat surface like a conference table, hanging on a wall, or in a house of worship, on the alter. In order to maximize the sound quality, you must pay careful attention to the placement of your UB1 and how it is positioned for the instrument or vocalist that you are miking. Since the UB1 is an omnidirectional microphone, the microphone will pick-up the sound in a 360 degree pattern, essentially picking up in every direction. This is often a good solution in a conference situation since the UB1 will pick up all around the table. All microphones, especially uni-directional or cardioid microphones, exhibit a phenomenon known as "proximity effect." Very simply put, proximity effect is a resulting change in the frequency response of a microphone based on the position of the mic capsule relative to the sound source. Generally, you will get a bass boost when miking in close. When you point a cardioid mic directly at the sound source (on axis) you will get the best frequency response, however when you start pointing the microphone slightly away (off axis) you will notice the low frequency response dropping off and the microphone will start to sound thinner. However, since the UB1 is omnidirectional it exhibits very little proximity effect.

## Operating the UB1


### Setting Up the Signal Level

You can adjust the UB1's internal digitally controlled analog Input Gain stage by using the UB1 software, or you can control the input gain by using the software control in your computer's operating system and/or digital audio workstation. Either way, the purpose of the mic trim control is to optimize the amount of good signal to any associated noise. A good mic pre, like the UB1 software control panel, also will have a LEVEL or CLIP indicators. To set a good level on the mic, set the UB1 up in front of the desired sound source and slowly raise the input trim control until you see the CLIP or Peak indicator light up. Then, turn the input trim control down until the indicator does not light any more.


### UB1 Installation

The UB1 can be installed on just about any flat surface. Simply place the unit on a conference table, alter or sound stage. For mounting flush to a wall or ceiling, you can use the mounting holes provided on the rear of the microphone. Take care not to cover the any part of the mic element with your hand or any other object. Also, be aware of a phenomenon called the proximity effect, as explained on page 6, which causes a noticeable change in the frequencies response of the microphone.

## UB1 Specifications





UB1 Polar Pattern



UB1 Frequency Response

### UB1 Specifications

Element Type	Fixed charge condenser
Polar Pattern	Omni-directional
Frequency response	30 - 18000Hz
SPL	127dB
Dynamic range	103dB
S/N ratio	70dB
Power Supply	USB buss powered



Specifications subject to change without notice.



## UB1 and Sonar LE Quick Start Guide

1. To install Sonar LE, insert the Sonar LE CD into the computer's CD-ROM drive and follow the on-screen steps. The Sonar LE installer will start automatically when the CD-ROM is inserted into the computer.
2. Next, connect the Samson UB1 to the computer using the included USB cable and check to confirm that the microphone's LED is illuminated.
3. Launch the Sonar LE software.
4. Open the **Tools>Audio...** menu, a dialog box will open, click on the "Playback and Recording" tab, and under Driver Mode select WDM/KS. Click on the "Drivers" tab, and highlight the Samson UB1 microphone in the Input Driver window. Press Okay.
5. If you changed your computer's driver setup, you will be prompted to restart the program to make the changes take effect. Follow the dialog box instructions to Exit Sonar LE and re-launch the application.
6. Select or insert (**Insert>Audio Track**) an Audio track.
7. Arm the track by clicking on the 'R' located in the channel strip (it will turn red and the word Arm will light up on the bottom of the window).
8. If you would like to monitor the track click the Input Echo button in the channel strip. Be sure to start with your headphone or speaker level low to avoid feedback.
9. Click the dropdown arrow of the Input field in the audio track and select the "Left Samson UB1" option.
10. Press the Record button and start recording...

**SAMSON**  
samsontech.com



Samson Technologies Corp.  
P.O. Box 18016  
Hauppauge, NY 11788-8816

**SAMSON**  
A U D I O

Place  
stamp  
here

**IMPORTANT!**  
**SAMSON AUDIO**  
**WARRANTY**  
**REGISTRATION CARD**

Please keep this part of the Warranty with your original sales receipt and Samson Audio product owner's manual for future reference.

If you need service for your Samson Audio product:

**STEP 1:** Please call one of our friendly Customer Service reps at 1-800-372-6766

(1-800-3SAMSON) from 9 A.M. to 5 P.M. (Eastern). They'll be happy to issue you a Return Authorization Number.

Sorry, we can't accept any Samson Audio product for service without a Return Authorization Number.

**STEP 2:** If possible, please pack the product in its original carton.

**STEP 3:** Send the product to: Samson Technologies Corp., 45 Gilpin Avenue, Hauppauge, NY 11788-8816. You must include your return address. **The Return Authorization Number must be clearly displayed on the outside of the carton. Any package received without a Return Authorization Number will be refused.**

**Shipping and Service charges:**

**Service covered under warranty:** The customer will pay for shipping to Samson or the authorized service center. Samson will pay for shipping back to the customer. Repair costs will be paid for by Samson.

**Out-of-warranty service:** All shipping and repair costs are the responsibility of the customer.

Date of purchase \_\_\_\_\_

Dealer's name \_\_\_\_\_

Location \_\_\_\_\_

Serial # \_\_\_\_\_

Model # \_\_\_\_\_

**Complete this section and keep for your records:**

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

not apply to you.

SAMSON IS NOT RESPONSIBLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY BREACH OF WARRANTY, OR UNDER ANY OTHER LEGAL THEORY, INCLUDING BUT NOT LIMITED TO LOST PROFITS, DOWNTIME, GOODWILL, DAMAGE TO OR REPLACEMENT OF EQUIPMENT AND PROPERTY NOT MANUFACTURED BY SAMSON. Some states do not allow the exclusion or limitation of incidental or consequential damages or exclusions of implied warranties, so the above limitations or exclusions may not apply to you.

To the extent permitted by law, SAMSON SPECIFICALLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. No Samson dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

This warranty contemplates the owner will reasonably maintain this instrument or product without alteration, negligent use, misuse, or abuse. Normal wear and tear of this product will not be covered by this or any implied warranty.

Limited warranty is valid if product is repaired or serviced by Samson Technologies or Samson authorized service facility ONLY. Product or unit must be purchased from an authorized Samson Audio dealer for a valid warranty.

country of purchase.

For information about coverage on products not purchased in the USA, contact the Samson Audio distributor in the USA. Original or improved design, at its option, for products purchased in the USA only. This warranty applies only to products sold in the USA. Corp., through the applicable authorized distributor, will repair or replace defects covered by this limited warranty with parts or products of for a period of one (1) year from the date of purchase with proof of original ownership and a copy of your receipt. Samson Technologies Corp. warrants Samson Audio products purchased in the United States against defects in material and workmanship.

Samson Audio products are warranted for one (1) year. You must provide proof of original ownership and a copy of your sales receipt to receive warranty service. Warranty is not transferable.

**The Fine Print:**

+ Cut along dotted line + Keep this for your records

## SAMSON AUDIO WARRANTY REGISTRATION CARD

Although filling this out may seem like a major buzz kill, it'll only take a few minutes of your time.

Or you can register online at <http://warranty.samsontech.com/>

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State/Zip \_\_\_\_\_

Email \_\_\_\_\_

We value your privacy. By checking yes, \_\_\_\_\_ you are giving us permission to send you promotional offers and product information from time to time.

Model # \_\_\_\_\_

Serial # \_\_\_\_\_

Date of purchase \_\_\_\_\_

Dealers name \_\_\_\_\_

Location \_\_\_\_\_

What are you using your Samson Audio product for?

☐ Studio Recording ☐ Home Recording ☐ Live Sound ☐ Education

☐ Video ☐ House of Worship ☐ Corporate Presentation

Why did you choose Samson Audio? (check all that apply)

☐ Features ☐ Sound Quality ☐ Brand Reputation ☐ Price/Value ☐ Advertising ☐ Recommendation of Friend ☐ Recommendation of Salesperson

Other Comments about your Samson Audio equipment (we'll actually be reading this, so go for it!): \_\_\_\_\_

### Please take a minute to fill out this questionnaire:

#### Do you play an instrument?

- ☐ Guitar  
☐ Bass  
☐ Keyboards  
☐ Drums  
☐ Other \_\_\_\_\_

#### Other than music, will you be using your Samson product for other applications, such as video or podcasting?

##### Please list:


#### What is your age?

- ☐ 13-18 ☐ 36-45  
☐ 19-25 ☐ 45 +  
☐ 26-35

#### If you play, what style of music do you play most often?

- ☐ Blues ☐ Alternative ☐ Folk  
☐ R&B/Funk ☐ Rock ☐ Country  
☐ Gospel ☐ Bluegrass ☐ Pop Rock  
☐ Classical ☐ Jazz ☐ Heavy Metal  
☐ Rap/Hip Hop ☐ Reggae/Ska ☐ Punk

#### Follow us on:

 [twitter.com/samsontech](https://twitter.com/samsontech)
 [facebook.com/samson](https://facebook.com/samson)

#### What publications do you read?

- ☐ Alternative Press  
☐ Bass Player  
☐ Blender  
☐ Downbeat  
☐ Electronic Musician  
☐ EQ  
☐ Guitar Player  
☐ Guitar World  
☐ Keyboard  
☐ Macworld  
☐ Mac | Life  
☐ Mix  
☐ Premier Guitar  
☐ Recording  
☐ Revolver  
☐ Rolling Stone  
☐ Sound on Sound  
☐ Spin  
☐ The Source  
☐ Wired  
☐ XLR8R  
☐ Other \_\_\_\_\_

#### Which audio gear sites do you visit?

- ☐ Harmony Central  
☐ Gear Wire  
☐ Sonic State  
☐ Other \_\_\_\_\_