




快速入门指南

Quick Start Guide

Q1 Mark II

型号：FQ1222

Buttons and Ports labeled



- ① 3.5mm headphone output
- ② 2.5mm TRRS balanced headphone output
- ③ Line in/out
- ④ DSD indicator
- ⑤ Status LED
- ⑥ Power/Volume knob
- ⑦ Gain switch
- ⑧ RESET switch
- ⑨ Micro USB port
- ⑩ PC/iPhone/iPod/iPad input
- ⑩ Bass switch

Operation Explained

1. Turn on/off

Turn the "Power/volume" knob clockwise until a click sound is heard to turn on the device; keep turning clockwise to increase volume; Turn anticlockwise to decrease volume, turn anticlockwise until a click sound is heard to turn off the device.

2. Indicator

a. Working status indicator:

Power on: Blue light lights up.

Low power: Blue light flashes.

Charge when the device's off: Red light lights up when charging, Red light goes off when it's fully charged.

Charge when the device's on: Red light and Blue light light up when charging, Red light goes off when it's fully charged.

b. DSD indicator: Indicator lights up when the device detects DSD audio signal input.

3. Working as DAC for computers

When using the device with a Windows computer for the first time, please go to our website to download the driver and follow the corresponding instructions to install the driver.

Download link: <http://fiio.net/en/supports>

When using with a MAC OS computer, it doesn't need any drivers. Please choose the Q1 Mark II as the output device.

It's recommended to set the system output volume on computer to the max level and then adjust the output volume of the Q1 Mark II to a suitable level with its volume knob.

4. Working as a DAC for iOS devices like iPhone/iPod/iPad

Using the included Lightning-Micro USB cable to connect the Q1 Mark II with your iPhone/iPad/iPod and play the music on your iOS device, then you could better enjoy your Hi-Res music.

Precautions

★ Please set the volume with moderation to protect your hearing and your audio equipment.

★ Please take off the headphone from your ears before plugging

or unplugging it to avoid any possible impulsive sound damaging your hearing.

- ★ Do not disassemble, expose the unit to water or carry out unauthorized repair on the unit.
- ★ If the unit is to be left unused for a long time, it should be recharged periodically to preserve its battery life.
- ★ Your hearing and environmental awareness are affected when using headphones. For your own safety, please do not use headphones in dangerous environments.
- ★ If the system shows an error, please press the RESET switch to restore to normal operation.
- ★ It is not recommended to connect the Q1 Mark II to both a USB audio source and a line audio source at the same time as both sources would play through the headphones at the same time.

List of items included in package

(please check to make sure that all items are included)

●USB A-Micro USB cable	1
●Lightning-Micro USB cable	1
●3.5mm-3.5mm audio cable	1
●Silicone bands (long)	2
●Silicone bands (short)	2
●Cloth carrying pouch	1
●Silicone pad	1
●Quick user guide	1
●Warranty card	1

Learn More

For more product information, please visit the official website www.fiiio.net

WEEE Directive & Product Disposal



At the end of its serviceable life, this product should not be treated as household or general waste. It should be handed over to the applicable collection point for the recycling of electrical and electronic equipment, or returned to the supplier for disposal.

Internal/Supplied Batteries

This symbol on the battery indicates that the battery is to be collected separately. This battery is designed for separate collection at an appropriate collection point.