


IM600 | CONDENSER MICROPHONE FOR DRUMS

GENERAL DESCRIPTION

IM600 is a rugged construction high output condenser microphone for drums. It comes with integrated preamp and Cardioid polar patten which make it more smooth and natural for drums and percussion instrument. It applies to profession recording and studio recording. The balanced Cardioid polar pattern provides high gain before feedback and also can prevent needless noise effectively. IM600 is a kind of microphone for drum, easy for you to install. A short gooseneck is allowing optimum positioning on the drum and reducing mess on the stage. IM600 microphone applies for drums, percussion and other fixed application.

HOW TO USE THE MICROPHONE



- * Gooseneck is allowing optimum positioning on the drum;
- * Due to the clamp design, easy to use;
- * The mini volume, it is convenient for you to carry;
- * Applies to profession recording and studio recording.

SAFETY PRECAUTIONS

- * Do not store the microphone under direct sunlight, near heating devices or in a hot, humid or dusty place. Do not allow the microphone to get wet;
- * Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat;
- * Do not subject the microphone to strong impact;
- * Do not disassemble, modify or attempt to repair the microphone;
- * Clean only with dry cloth;
- * When this product is used for a long time, the microphone may become discolored due to ultraviolet light (especially direct sunlight) or wear ;
- * This products materials are recycling, if it is broken, you can not through away. Instead you should keep it properly or return to the related department.

SPECIFICATION

- * Mic capsule type: electrets condenser capsule
- * Polar pattern: Cardioid
- * Frequency range: 30-20000Hz
- * Output impedance: 150Ω
- * Sensitivity: -50.5dB±2dB
- * Max SPL: 136dB(1kHz) 
- * Equivalent noise level: 63dB
- * Power requirement: 48V phantom power supply

ALCTRON is constantly striving to maintain the highest professional standards. As a result of these efforts, modifications may be made from time to time to existing products without prior notice. Specifications and appearance may differ from those listed or illustrated.

IM600 电容鼓用话筒

产品介绍

IM600是一款结构紧凑的高输出电容鼓用话筒，鼓用话筒配备集成前置放大器和微型心型电容话筒头，对鼓和打击乐器的响应更为流畅自然。适用专业扩音和录音棚录音。其均衡的心型拾音模式可提供较高的反馈前增益，并且有效地抑制不需要的噪音。IM600鼓用话筒安装方便简单。柔性鹅颈管可实现精确调节，并可降低舞台的杂乱程度。IM600鼓用话筒适用于鼓打击乐及其它固定前置的应用场合。

如何使用话筒



特点

- * 柔性鹅颈管可实现精确调节；
- * 鼓夹设计，使用方便；
- * 体积迷你，方便携带；
- * 适用专业扩音和录影棚录音。

⚠ 安全事项

- * 不要将麦克风存放在阳光直射下、暖气设备附近或湿热或多尘的地方，不要弄湿麦克风；
- * 请勿将本产品安装在热源附近，如暖气片，炉子或者其它产生热量的设备（包括功放器）；
- * 请勿使麦克风受到强烈撞击；
- * 请勿拆卸或改造麦克风；
- * 请用干布清洁本产品；
- * 长时间使用本产品时，麦克风部分可能会因紫外线（特别是阳光直射）或磨损而老化变色；
- * 本产品为金属加塑料制品，为可回收材料，若不使用或者报废，不可随意丢弃，应该妥善保管，或者是交给回收部门进行回收处理。

产品参数

- * 话筒音头类型: 驻极体电容音头
- * 指向性: 心型
- * 频率响应: 30-20000Hz
- * 输出阻抗: 150Ω
- * 灵敏度: -50.5dB±2dB
- * 最大声压级: 136dB(1kHz)
- * 信噪比: 63dB
- * 电源要求: 48V幻象电源

奥创电子有限公司始终尽力确保最高的质量水平。必要的修改将不预先通知予以实行。因此产品的技术数据和外观可能与所述说明或插图有不同之处，敬请谅解。

宁波市鄞州奥创电子有限公司 地址: 浙江省宁波市鄞州区秀丰工业区三成路76号 电话: ++86 574 88009874
传真: 0574-87157176 邮箱: sales@alctron-audio.com 网址: <http://www.alctron-audio.com>
全国统一服务热线: 4000-160-112