


HA4 PLUS MINI HEADPHONE AMPLIFIER

GENERAL DESCRIPTION


HA4 PLUS mini headphone amplifier splits a single stereo signal into four headphone outputs. The unique circuitry delivers top-notch sound even in a harsh environment. Each channel comes with its own level control without interaction. Its USB power supply design allows it powered by PC, phone charger, bank charger etc. High quality steel chassis provides extreme durability.

INTRODUCTION OF EACH BUTTON



1. USB 5V: power connector, offers stable power to device, allows it powered by PC, phone charger, bank charger etc.
2. 6.35mm headphone stereo output connector, connects to headphone.
3. INPUT: input connector, the signal source has to be connected to this 6.35mm TRS connector, such as console.
4. Power indicator, when there has power in, the LED lits green light.
5. VOLUME 1/2/3/4: volume adjustable knobs, adjusts each channel volume separately.

CONNECTION



SPECIFICATION

Line inputs

- Type: 1/4" TRS connector, stereo
- Impedance: 100k Ω max, 10k Ω min
- Max input level: +20dB

Headphone outputs

- Type: 1/4" TRS connector, stereo
- Impedance: 47 Ω
- Max output level: 40mW in 100 Ω

- Power supply: USB 5V
- Dimensions: 110mm*60mm*48mm

Copyright © Ningbo Alctron Electronics Technology CO.,LTD. All rights reserved. Specifications and appearance subject to change without notice.


Ningbo Alctron Electronics Technology CO.,LTD.
No.76 SanCheng Road, XiuFeng Industrial Area, GaoQiao Town, NingBo, China.
Tel:+0086 574 87150672
Fax:+86 574 87157176
E-mail:info@alctron-audio.com
www.alctron-audio.com

HA4 PLUS 迷你耳机放大器

产品介绍


HA4 PLUS是一款能将一路立体声输入信号分四路立体声输出的迷你耳机放大器。其独特的电子线路设计让您即使身处恶劣环境也能传递出色的音质。每路输出通道都设有独立的音量电位器，互不干扰。USB电源接口使得供电方式多样化，可以采用电脑USB接口直接供电，手机充电器供电，充电宝供电等。高质量的铁壳身为长时间使用提供有力的保证。

各按键介绍



- 1、USB 5V：电源接口，给设备提供稳定的电压，可以采用电脑USB接口直接供电，手机充电器供电，充电宝供电等。
- 2、3.5mm耳机立体声输出接口，连接耳机。
- 3、INPUT：输入接口，连接信号音源设备，比如调音台这类设备。
- 4、电源指示灯，当有电源输入的时候，LED亮起绿色的灯。
- 5、VOLUME 1/2/3/4：音量调节旋钮，分别调节各通道的音量大小。

连接



产品参数

线性输入

类型: 1/4" TRS, 立体声
阻抗: 最大100 k Ω , 最小10 k Ω
最大输入电平: +20dB

耳机输出

类型: 1/4" TRS, 立体声
阻抗: 47 Ω
最大输入电平: 40mW 在100 Ω 的时候

电源供电:

USB 5V

尺寸:

110mm*60mm*48mm

版权所有©宁波奥创电子科技有限公司,所有保留。必要的技术数据和外观更改恕不另行通知。

宁波奥创电子科技有限公司

地址: 浙江省宁波市海曙区秀丰工业区三成路76号

电话: 0574-88011699

传真: 0574-87157176

邮箱: sales@alctron-audio.com

网址: <http://www.alctron-audio.com> 全国统一服务热线: 4000-160-112